





# DURABLE IS BEAUTIFUL

When designing an architectural project, beauty isn't enough. Your building must also stand the test of time. It must be built to last generations.

That's why we offer Jotun Durasol, our most durable powder coating solution. It offers the strongest protection and doesn't sacrifice aesthetics. Now you don't have to choose between realising your design vision and protecting it for years to come.

Jotun Durasol is engineered to withstand the harshest conditions, from intense UV radiation to soaring temperatures, high humidity and more. It meets the highest industry standards: Qualicoat Class 3 and AAMA 2605 for longevity.

Most importantly, Jotun Durasol is backed by our comprehensive 30-year Product Performance Guarantee\* when used on aluminium following Jotun Powder Coatings guidelines.



# THE BOLD LOOK OF DURABILITY

Your projects are designed to stand out, and with the beautiful range of colours offered for Jotun Durasol, you can be sure it wiget the attention it deserves.

Not only is Jotun Durasol available in more than 100 colours, but you can also select from two stunning finishes: Tactile Matt and Rich Pearlescent.

Add luxurious shine with a Pearlescent finish or a stunning touch of modern design with a Matt effect. The choice is yours.

The right colour and finish are the final touches on your design, but they are the first impression your building will make on the world







## INCREASE YOUR LEED® POINTS

While representing a small fraction of your building's costs, the coatings you choose play a significant role in boosting rating points.

Jotun Durasol is one of our Green Building Solutions\* and meets specific LEED® and BREEAM standards. Additionally, we have one of the most extensive lists in the coatings industry of product-specific, third-party-certified (Type III) EPDs, which are the most valuable for earning green building points.

Jotun Durasol releases no harmful VOCs. It provides enhanced flow, reduced waste and improved mileage — all of which enable you to coat more and spend less.



## SUPERIOR PERFORMANCE

DESCRIPTION	NORM	JOTUN DURASOL
Impact resistance	EN ISO 6272/ ASTM D2794	Passes 2.5 Nm without detachment after tape pull test.
Cupping test	EN ISO 1520	Passes 5 mm indentation without detachment after tape pull test.
Flexibility	EN ISO 1519	Passes 5 mm cylindrical mandrel bend test without cracking.
Acetic acid salt spray resistance	ISO 9227	Maximum 16 mm <sup>2</sup> infiltration over a scratch length of 10 cm after 2,000 hours.
Humidity resistance	EN ISO 6270-2	No infiltration exceeding 1 mm on both sides of the scratch after 4,000 hours.
Natural weathering test	EMMAQUA® (Phoenix, Arizona) ASTM G90, Spray Cycle 3	No chalking, excellent gloss retention and colour stability after ~2900 MJ/M² UV exposure equivalent to 10 years in Florida (angle of 45° to South).
Flame spread index	ASTM E84	Class 1 or A
Smoke development index	ASTM E84	Class 1 or A


### **ALSO FROM JOTUN**

#### **JOTUN SUPER DURABLE**

Strong weather protection with a wide range of aesthetic choices.

#### **JOTUN FACADE**

A balanced combination of corrosion protection and decorative options.



### **STAY IN TOUCH**

At Jotun, we don't just sell a high-quality product; we back it up with the highest quality customer service. We are your partner in achieving your project's goals. With industry-leading technical support and a track record of global market experience, our aim is to not only meet, but exceed your needs.

Please contact your local Jotun representative to learn more about how our products can play an important role in your projects.

**JOTUN.COM** 

