



## TEST CERTIFICATE

JOTUN Paints  
P.O Box: 3671  
Dubai, UAE

Report No. WLR16-6439/A-rev2  
Sample No. WS16-6439  
Report Date. 25/08/2016

Introduction: As per the request received from M/s. JOTUN Paints on 18<sup>th</sup> August 2016, the sample of Paint was tested and the results are as follows.

Sample description : Paint  
Product Name : Lady Design Royal Velvet  
Sample Received : 18/08/2016  
Date Tested : 18/08/2016-24/08/2016  
Tested By : VM

### Chemical Analysis

Test	Method	Unit	Result
VOC	USEPA 24	g/L	9.1

Signed for and on behalf of Wimpey Laboratories



Dr. Sudhanandh V.S., M.Phil, PhD  
Laboratory Manager

Test result relate only to the samples tested.

This report shall not be reproduced except in full, without the written approval of the Laboratory.

-End of text-



TEST CERTIFICATE

JOTUN Paints  
P.O Box: 3671  
Dubai, UAE

Report No. WLR16-6439/B-rev2  
Sample No. WS16-6439  
Report Date. 25/08/2016

**Introduction:**As per the request received from M/s. JOTUN Paints on 18<sup>th</sup> August 2016, the sample of Paint was tested and the results are as follows.

Sample description : Paint  
Product Name : Lady Design Royal Velvet  
Sample Received : 18/08/2016  
Date Tested : 18/08/2016-24/08/2016  
Tested By : VM

Chemical Analysis

Test	Method	Unit	Result
Formaldehyde	USEPA 8260	ppm	<0.1

Signed for and on behalf of Wimpey Laboratories



Dr. Sudhanandh V.S., M.Phil, PhD  
Laboratory Manager

Test result relate only to the samples tested.

This report shall not be reproduced except in full, without the written approval of the Laboratory.

-End of text-



TEST CERTIFICATE

JOTUN Paints  
P.O Box: 3671  
Dubai, UAE

Report No. WLR16-6439/C-rev2  
Sample No. WS16-6439  
Report Date. 25/08/2016

Introduction: As per the request received from M/s. JOTUN Paints on 18<sup>th</sup> August 2016, the sample of Paint was tested and the results are as follows.

Sample description : Paint  
Product Name : Lady Design Royal Velvet  
Sample Received : 18/08/2016  
Date Tested : 18/08/2016-24/08/2016  
Tested By : VM

Chemical Analysis


Test	Method	Unit	Result
APEO Content	USEPA 8260	ppm	<0.1

Signed for and on behalf of Wimpey Laboratories

Dr. Sudhanandh V.S., M.Phil, PhD  
Laboratory Manager

Test result relate only to the samples tested.

This report shall not be reproduced except in full, without the written approval of the Laboratory.







## TEST CERTIFICATE

JOTUN Paints  
P.O Box: 3671  
Dubai, UAE

Report No. WLR16-6439/D-rev2  
Sample No. WS16-6439  
Report Date. 25/08/2016

Introduction: As per the request received from M/s. JOTUN Paints on 18<sup>th</sup> August 2016, the sample of Paint was tested and the results are as follows.

Sample description : Paint  
Product Name : Lady Design Royal Velvet  
Sample Received : 18/08/2016  
Date Tested : 18/08/2016-24/08/2016  
Tested By : VM

### Chemical Analysis

Test	Method	Unit	Result
<b>Heavy Metals</b>			
Lead	ASTM D 3335	ppm	<0.01
Cadmium		ppm	<0.01
Mercury		ppm	<0.01
Arsenic		ppm	<0.01
Antimony		ppm	<0.01
Chromium		ppm	<0.01

Signed for and on behalf of Wimpey Laboratories

Dr. Sudhanandh V.S., M.Phil, PhD  
Laboratory Manager

Test result relate only to the samples tested.

This report shall not be reproduced except in full, without the written approval of the Laboratory.

-End of Text-





TEST CERTIFICATE

JOTUN Paints  
P.O Box: 3671  
Dubai, UAE

Report No. WLR16-6439/E-rev2  
Sample No. WS16-6439  
Report Date. 25/08/2016

Introduction: As per the request received from M/s. JOTUN Paints on 18<sup>th</sup> August 2016, the sample of Paint was tested and the results are as follows.

Sample description : Paint  
Product Name : Lady Design Royal Velvet  
Sample Received : 18/08/2016  
Date Tested : 18/08/2016-24/08/2016  
Tested By : VM

Chemical Analysis

Test	Method	Unit	Result
Poly Chlorinated Biphenyls(PCB)			
2,2,5 – Trichlorobiphenyl	ASTM D 6160-98	ppm	<0.1
2,4,4 – Trichlorobiphenyl		ppm	<0.1
2,4,5 – Trichlorobiphenyl		ppm	<0.1
2,2,3,5 – Tetrachlorobiphenyl		ppm	<0.1
2,2,5,5 – Tetrachlorobiphenyl		ppm	<0.1
2,2,4,5,5 – Pentachlorobiphenyl		ppm	<0.1
2,3,4,4,5 – Pentachlorobiphenyl		ppm	<0.1
2,2,3,4,4,5 – Hexachlorobiphenyl		ppm	<0.1
2,2,3,4,5,6 – Hexachlorobiphenyl		ppm	<0.1
2,2,4,4,5,5 – Hexachlorobiphenyl		ppm	<0.1
2,2,3,3,4,4,5 – Heptachlorobiphenyl		ppm	<0.1
2,2,3,4,4,5,5 – Heptachlorobiphenyl		ppm	<0.1
2,2,3,3,4,4,5,5, - Octachlorobiphenyl		ppm	<0.1
2,2,3,3,4,4,5,5,6,6 – Decachlorobiphenyl		ppm	<0.1
2,2,5 – Trichlorobiphenyl		ppm	<0.1
2,4,4 – Trichlorobiphenyl		ppm	<0.1

Signed for and on behalf of Wimpey Laboratories

Dr. Sudhanandh V.S., M.Phil, PhD  
Laboratory Manager

Test result relate only to the samples tested.

This report shall not be reproduced except in full, without the written approval of the Laboratory.

-End of text-

